

2023 年公表

| 助成対象者 | 発表論文 | 掲載雑誌 |
|---------------------------|--|--|
| Masahiro Ojima, et al. | Impact of the COVID-19 pandemic on epidemiology, treatment, and outcome of major trauma in Japan in 2020: a retrospective observational nationwide registry-based study. | Acute Medicine & Surgery. 2023; 10(1): e817. |
| Yuichi Yoshii, et al. | Correlations between 3D preoperative planning and postoperative reduction in the osteosynthesis of distal humeral fractures. | Journal of Orthopaedic Surgery and Research. 2023; 18(1): 283. |
| Shigeki Kubota, et al. | Feasibility and efficacy of the newly developed robotic Hybrid Assistive Limb shoulder exercises in patients with C5 palsy during the acute postoperative phase. | Medicina. 2023; 59(8): 1496. |
| Shinnosuke Kitano, et al. | Development of a machine learning model to predict cardiac arrest during transport of trauma patients. | Journal of Nippon Medical School. 2023; 90(2): 186-193. |
| Ken Kijima, et al. | Zinc deficiency impairs axonal regeneration and functional recovery after spinal cord injury by modulating macrophage polarization via NF- κ B pathway. | Frontiers in Immunology. 2023; 14: 1290100. |

2022 年公表

| 助成対象者 | 発表論文 | 掲載雑誌 |
|------------------------------|---|---|
| Kumagai G, et al. | Prevalence of whiplash injury and its association with quality of life in local residents in Japan: A cross sectional study. | Journal of Orthopaedic Science. 2022; 27(1): 108-114. |
| Hosomi S, et al. | Association of pre-hospital helicopter transport with reduced mortality in traumatic brain injury in Japan: A nationwide retrospective cohort study. | Journal of Neurotrauma. 2022; 39(1-2): 76-85. |
| Yoshii Y, et al. | An experimental study of a 3D bone position estimation system based on fluoroscopic images. | Diagnostics. 2022; 12(9): 2237. |
| Muratsu A, et al. | Evaluation of urinary extravasation after non-operative management of traumatic renal injury: A multi-center retrospective study. | European Journal of Trauma and Emergency Surgery. 2022; 48(3): 2117-2124. |
| Matsumoto-Miyazaki J, et al. | Spastic muscle stiffness evaluated using ultrasound elastography and evoked electromyogram in patients following severe traumatic brain injury: An observational study. | Brain Injury. 2022; 36(12-14): 1331-1339. |
| Oe K, et al. | Influence of metal implants on quantitative evaluation of bone single-photon emission computed tomography/computed tomography. | Journal of Clinical Medicine. 2022; 11(22): 6732. |
| Kato G, et al. | Perpendicular probing and screwing technique: A simple method for accurate pedicle screw placement based on the human internal reference frame for angle estimation. | PLoS One. 2022; 17(11): e0277229. |

2021 年公表

| 助成対象者 | 発表論文 | 掲載雑誌 |
|---------------------|---|--|
| Eguchi Y. | Advances in magnetic resonance neuroimaging of neuropathy from degenerative spinal disorders. | Chiba Medical Journal. 2021; 97E: 1-10. |
| Kibayashi K, et al. | Analysis of autopsy cases involving individuals who experienced cardiopulmonary arrest immediately after sustaining minor head injuries. | Journal of Forensic and Legal Medicine. 2021; 81:102205. |
| Muratsu A, et al. | Usefulness of simultaneous measurement of brain and muscle regional oxygen saturation in shock patients: A report of three cases. | Clinical Case Reports. 2021; 9(8): e04715. |
| Hosomi S, et al. | Survival outcomes after traumatic brain injury during national academic meeting days in Japan. | Scientific Reports. 2021; 11(1): 15206. |
| Yogo N, et al. | Simplified clinical decision rule using clinically important events for risk prediction in pediatric head injury: A retrospective cohort study. | Journal of Clinical Medicine. 2021; 10(22): 5248. |

2020 年公表

| 助成対象者 | 発表論文 | 掲載雑誌 |
|----------------------|--|--|
| Kanno H, et al. | Changes in expression of receptor-interacting protein kinase 1 in secondary neural tissue damage following spinal cord injury. | Neuroscience Insights. 2020; 15: 1-9. |
| Egawa S, et al. | Efficacy of antibiotic-loaded hydroxyapatite/collagen composites is dependent on adsorbability for treating Staphylococcus aureus osteomyelitis in rats. | Journal of Orthopaedic Research. 2020; 38(4): 843-851. |
| Norimoto M, et al. | Does the increased motion probing gradient directional diffusion tensor imaging of lumbar nerves using multi-band SENSE improve the visualization and accuracy of FA values? | European Spine Journal. 2020; 29: 1693-1701. |
| Gakumazawa M, et al. | In-hospital mortality risk of transcatheter arterial embolization for patients with severe blunt trauma: A nationwide observational study. | Journal of Clinical Medicine. 2020; 9(11): 3485. |
| Hosomi S, et al. | Traumatic brain injury-related inflammatory projection: beyond local inflammatory responses. | Acute Medicine & Surgery. 2020; 7: e520. |

2019 年公表

| 助成対象者 | 発表論文 | 掲載雑誌 |
|-------------------|--|--|
| Machino M, et al. | MR T2 image classification in adult patients of cervical spinal cord injury without radiographic abnormality: A predictor of surgical outcome. | Clinical Neurology and Neurosurgery. 2019; 177: 1-5. |

| | | |
|--------------------|---|---|
| Katayama Y, et al. | Prehospital factors associated with death on hospital arrival after traffic crash in Japan: A national observational study. | BMJ Open. 2019; 9(1): e025350. |
| Suehiro E, et al. | Probability of soluble tissue factor release lead to the elevation of D-dimer as a biomarker for traumatic brain injury. | Neurologia Medico-Chirurgica. 2019; 59(2): 63-67. |
| Hosomi S, et al. | Myeloid-derived suppressor cells infiltrate the brain and suppress neuroinflammation in a mouse model of focal traumatic brain injury. | Neuroscience. 2019; 406: 457-466. |
| Eguchi Y, et al. | Minimally invasive manganese-enhanced MRI for the sciatic nerve tract tracing using intra-articularly administered dextran-manganese complex encapsulated nanogels. | The Journal of Orthopaedic Research Spine. 2019; 2(2): e1059. |

2018 年公表

| 助成対象者 | 発表論文 | 掲載雑誌 |
|--------------------|---|--|
| Maki S, et al. | Reduced field-of-view diffusion tensor imaging of the spinal cord shows motor dysfunction of the lower extremities in patients with cervical compression myelopathy. | Spine. 2018; 43(2): 89-96. |
| Kikuchi K, et al. | Application of a novel anti-adhesive membrane, E8002, in a rat laminectomy model. | International Journal of Molecular Sciences. 2018;19(5): 1513. |
| Nogami S, et al. | Relationship between arthroscopic findings of synovitis and levels of tumor necrosis factor-alpha and matrix metalloproteinases in synovial lavage fluid from patients with unilateral high mandibular condyle fractures. | Journal of Oral Rehabilitation. 2018; 45(6): 452-458. |
| Koakutsu T, et al. | Postoperative changes in presepsin level and values predictive of surgical site infection after spinal surgery: A single-center, prospective observational study. | Spine. 2018; 43(8): 578-584. |
| Hosomi S, et al. | Inflammatory projections after focal brain injury trigger neuronal network disruption: An ¹⁸ F-DPA714 PET study in mice. | NeuroImage: Clinical. 2018; 20: 946-954. |
| Kikuchi K, et al. | Uric acid enhances alteplase-mediated thrombolysis as an antioxidant. | Scientific Reports. 2018; 8(1): 15844. |

2017 年公表

| 助成対象者 | 発表論文 | 掲載雑誌 |
|----------------|--|--|
| Maki S, et al. | Diffusion tensor imaging can predict surgical outcomes of patients with cervical compression myelopathy. | European Spine Journal. 2017; 26: 2459-2466. |

| | | |
|--------------------|---|--|
| Sato Y, et al. | Effect of retroperitoneal pelvic packing on pelvic cavity pressure: A cadaveric study. | Orthopedics. 2017; 40(6): e947–e951. |
| Hayakawa K, et al. | Relationship between intracranial pressure or cerebral perfusion pressure and prognosis in patients with severe traumatic brain injury treated with mild hypothermia. | Journal of Trauma & Treatment. 2017; 6(2). |
| 栗原まな. | 6歳未満で交通事故による脳外傷を受傷した25例の検討. | 神経外傷. 2017; 40: 85–91. |

2016年公表

| 助成対象者 | 発表論文 | 掲載雑誌 |
|---------------------|--|---|
| Sano H, et al. | Comparison of fixation properties between coil-type and screw-type anchors for rotator cuff repair: A virtual pullout testing using 3-dimensional finite element method. | Journal of Orthopaedic Science. 2016; 21(4): 452–457. |
| Morikawa M, et al. | Seatbelt use and seat preference among pregnant women in Sapporo, Japan, in 2013. | Journal of Obstetrics and Gynaecology Research. 2016; 42(7): 810–815. |
| Kishima H, et al. | Respiratory function under intrathecal baclofen therapy in patients with spastic tetraplegia. | Neuromodulation. 2016; 19(6): 650–654. |
| Nozaki T, et al. | Predicting retear after repair of full-thickness rotator cuff tear: Two-point dixon MR imaging quantification of fatty muscle degeneration—initial experience with 1-year follow-up. | Radiology. 2016; 280(2): 500–509. |
| Maki S, et al. | Tract-specific diffusion tensor imaging reveals laterality of neurological symptoms in patients with cervical compression myelopathy. | World Neurosurgery. 2016; 96: 184–190. |
| Uchiyama Y, et al. | Retrospective comparison of postoperative infection and bone union between late and immediate intramedullary nailing of Gustilo grades I, II, and IIIA open tibial shaft fractures. | Trauma Surgery & Acute Care Open. 2016; 1(1); e000035. |
| Yoshizumi T, et al. | Granulocyte colony-stimulating factor improves motor function in rats developing compression myelopathy. | Spine. 2016; 41(23): E1380–E1387. |
| 木林和彦,他. | 自転車に関係した交通事故での死亡者の現状と対策. | IATSS review (国際交通安全学会誌). 2016; 41(2): 106–113. |

2015 年公表

| 助成対象者 | 発表論文 | 掲載雑誌 |
|---------------------|--|---|
| Uruma G, et al. | Evaluation of regional white matter volume reduction after diffuse axonal injury using voxel-based morphometry. | Magnetic Resonance in Medical Sciences. 2015; 14(3): 183-192. |
| Itakura G, et al. | Controlling immune rejection is a fail-safe system against potential tumorigenicity after human iPSC-derived neural stem cell transplantation. | PLoS One. 2015; 10(2): e0116413. |
| 永田智子. | 外傷性脊髄損傷急性期の摂食・嚥下障害と呼吸機能、基礎代謝の検討. | 日本脊髄障害医学会誌. 2015; 28(1): 50-51. |
| Nozaki T, et al. | Quantification of fatty degeneration within the supraspinatus muscle by using a 2-point dixon method on 3-T MRI. | American Journal of Roentgenology. 2015; 205(1): 116-122. |
| Sekiya T, et al. | Cells transplanted onto the surface of the glial scar reveal hidden potential for functional neural regeneration. | Proceedings of the National Academy of Sciences. 2015; 112(26): E3431-E3440. |
| Sano H, et al. | Predicting failures of suture anchors used for rotator cuff repair: A CT-based 3-dimensional finite element analysis. | Bio-Medical Materials and Engineering. 2015; 25: 371-380. |
| Tsurukiri J, et al. | Middle latency auditory-evoked potential index monitoring of cerebral function to predict functional outcome after emergency craniotomy in patients with brain damage. | Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine. 2015; 23: 80. |
| 加藤晶人,他. | 重症頭部外傷および重症脳卒中患者の頭蓋内圧亢進に対する hinge craniotomy の有効性の検討. | 神経外傷. 2015; 38: 100-107. |

※上記の論文につきましては、掲載雑誌(出版社等)より入手ください。